

All Milli



SLIM CCD BARCODE SCANNER

Http://WWW.CANMAX.COM.TW

SLIM CCD Barcode Scanner

Features:

- Multifunctional barcode operation and bank note authentication. (Patent reserved)
- Flash memory for easily updating software and downloading configuration.
- Accurate barcode read rate from contact to 120mm.
- The sleek and lightweight design is in an easy-to-use hand-held ergonomic form factor.
- Support Plug & Play keyboard interface to allow connection of Notebook directly.

Specifications:

Model No.	CM-890 Slim type CCD barcode scanner
Supported barcodes	Code 39, INT 25,Industrial 2 of 5,Matrix 2 of 5, Codabar (NW7), Code93,Code128,EAN 128, JAN / EAN / UPC, MSI / Plessey
Output interface	USB, RS232, PS/2
Resolution	4mil
PCS	0.3
Optics	CCD Linear Image sensor, 630nm Red LED Lamp
Window width	60mm
Depth of Field	0-120mm (PCS=0.9, 15.6mil)
Read Barcode size	110 mm (PCS=0.9, 15.6mil)
Scan rate	100 scans/sec
Blue Indicator	Blue LED and Adjustable-Volume-Buzzer
Cable	2M straight type
Size	159.2(L) x 59.9(W) x 30.8(H)mm
Weight	NO UV LED : 60g / UV LED : 61.5g
Drop Durability	1m drop onto concrete surface
Environment Humidity	20%~95% RH
Working Temp	0~50 degree C
EMI	FCC /CE/VCCI & Class B
Voltage	DC 5V,+-5%







7F., No.183, Sec. 1, Datong Rd., Xizhi Dist., New Taipei City 22145, Taiwan (R.O.C.) Tel:+886-2-2647-7797 Fax:886-2-2647-7798 http://www.canmax.com.tw email: canmax@ms9.hinet.net

All specifications are subject to modification without notice.

U.V.





Suffix Data

Data

828D





